

JointMaster Pro 2

Product Data Sheet

Professional Two-Component Joint Sealer Machine

For Many Epoxy, Polyurea, Polyurethane Joint
Filler and Sealer Products

JointMaster Pro 2

Inside and Outside Applications

- Warehouses
- Parking Structures,
- Driveways
- Control Joints
And More

- **Affordable**
- **Faster Material Delivery**
- **Increased Volume**
- **Heater Band Option**
- **Battery Powered Option**



Advanced Design Features

- Pumps Many Epoxies, Polyurethanes & Polyureas
- Very Affordable And Reliable
- Pumps Thicker Materials
- Rugged Construction And Easy To Use
- Volume Adjustable Dispenser
- Extra Lightweight Aluminum Dispenser
- Stainless Steel Tanks
- Gear Driven For Easy Ratio Changes
- Compact And Lightweight Unit
- Unit Mounted On 'EZ-Ride' Coasters
- Complete Set With Hoses And Applicator
- Easy To Clean
- Heater Bands Optional
- Batterie/ Inverter Use Optional



Shown with optional
Heater Bands

Please contact a representative for detailed information and limitations. Specific product sheet data and MSDS of product to be intended for use will help you to determine the suitability.

Due to the nature of a dispensing machine like the JointMaster Pro2, user shall rely on his or her own information and tests to determine suitability of the product for the intended use and user assumes all risk and liability resulting from his or her use of the product. Nothing contained in any materials supplied or distributed by **WEBAC Corp.** relieves the user of the obligation to read and follow the warnings and instruction for each WEBAC Corp. product as set forth in the current Technical Data


Sheet, product label and Material Safety Data Sheet prior to product use. Webac Corp. warrants its products to be free of manufacturing defects. Seller's and manufacturer's sole responsibility shall be to replace that portion of the product of the manufacturer which proves to be defective.

There are no other warranties by **WEBAC Corp.** of any nature whatsoever expressed or implied, including any warranty of merchantability or fitness for a particular purpose in connection with this product. **WEBAC Corp.** specifically does not take back or restock any used equipment. **WEBAC Corp.** does not apply credit for used equipment.

JointMaster Pro 2

Professional Joint Sealer Machine For Epoxy & Polyurea Products

Product Data Sheet

Shown with optional
Heater Bands

SPECIFICATIONS

- Weight: 165 lbs. dry Height: 38-1/2", Width: 27", Length: 30"
Motor: 1/2HP DC Gear motor w/separate heat sink, RPM: 0 - 500,
Volts: 90-130, Torque: 202 In. Lbs., Amps: 5.5
Pumps: Cast iron internal rotary gear pumps w/steel fitted rotor gear
Tanks: 5 gallon, 14 gauge 304 stainless steel (ss) tanks w/ss lids, w/custom welded ss
mounting nipples for ss suction line strainers and pump mounts, attached to frame with
ss worm gear clamps
Power: 110 volt
Hoses: 3/8" x 14.5' Nylon braided hoses coupled with a protective sleeve
Wheels: 6" non marring gray balloon cushion wheels for easy roll over of cords and debris,
swivel wheels have brakes
Dispensing
Unit: Extended lightweight handle with a dual port manifold,
on/off switch and speed control knob
Viscosity: 50 – 2,500 cps, viscosity is only one of many factors to determine suitability and compatibility
Flow Rate: Up to 2 gallons per minute
Ratios: 1 – 1 ratio, easily geared to other ratios

Limited Warranty Policy and Disclaimer for Products Supplied and/or Distributed by WEBAC Corp.: All recommendations, statements and technical data herein are based on tests we believe to be reliable and correct, but accuracy and completeness of said tests are not guaranteed and are not to be construed as a warranty either expressed or implied. User shall rely on his or her own information and tests to determine suitability of the product for the intended use and user assumes all risk and liability resulting from his or her use of the product. Prior to each use of any WEBAC Corp. supplied product, the user must always read and follow the warnings and instructions on the product's most current Technical Data Sheet, product label and Material Safety Data Sheet. Nothing contained in any supplied materials relieves the user of the obligation to read and follow the warnings and instruction for each product as set forth in the current Technical Data Sheet, product label and Material Safety Data Sheet prior to product use. WEBAC Corp. warrants supplied / distributed products to be free of manufacturing defects. Seller's and manufacturer's sole responsibility shall be to replace that portion of the product of the manufacturer which proves to be defective. There are no other warranties by Webac Corp. of any nature whatsoever expressed or implied, including any warranty of merchantability or fitness for a particular purpose in connection with this product. Webac Corp. shall not be liable for damages of any sort, including remote or consequential damages resulting from any claimed breach of any warranty whether expressed or implied. Webac Corp. shall not be responsible for use of this product in a manner to infringe on any patent or any other intellectual property rights held by others. In addition, no warranty or guarantee is being issued with respect to appearance, color, fading, chalking, staining, shrinkage, peeling, UV damage, excessive temperature exposure, normal wear and tear or improper application by the applicator. Damage caused by abuse, neglect and lack of proper maintenance, acts of nature and / or physical movement of the substrate or structural defects are also excluded from the limited warranty. Webac Corp. reserves the right to conduct performance tests on any material claimed to be defective prior to any repairs by owner, general contractor, or applicator. Neither seller nor manufacturer shall be liable to the buyer or any third person for any injury, loss or damage directly or indirectly resulting from use of or inability to use the product. Recommendations and statements other than those contained in a written agreement signed by an officer of the manufacturer shall not be binding upon the manufacturer or seller. WEBAC Corp. reserves the right to change the properties of products without notice.

Revised 2010-01

